

MATERIAL SAFETY DATA SHEET

1/28/2011

**Distributed By:** PAMARCO Global Graphics \* 171 East Marquardt • Wheeling, IL 60090  
Information Telephone Number: 847-459-6000

**Product Name:** Poly Ad Fountain Concentrate

**Date Prepared:** 03/10/2011

**Customer Information Phone Number:** 1-800-323-7735

**CHEMTREC®: 24 Hour Emergency Transport Phone Number:** 1-800-424-9300

**3 E COMPANY: 24 Hour Medical Emergency Phone Number:** 1-800-451-8346

**SECTION 1: PRODUCT INFORMATION**

**Product Name:** POLY AD (Fountain Solution Additive)  
**D.O.T. Designation:** Compounds, Cleaning Liquid. Not Regulated.

**SECTION 2: HAZARDOUS COMPONENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENT	CAS No.	% WT.	OSHA PEL	ACGIH TLV	OTHER RATINGS	OSHA STEL
Propylene Glycol	57-55-6	1-5	-	-	50ppm (AIHA WEEL)	
Amorphous Silica	7631-86-9	40-50	-	-	1mg/m3 (respirable)	

**SECTION 3: PHYSICAL/CHEMICAL CHARACTERISTICS**

**Boiling Point:** 212 degrees F.  
**Specific Gravity:** (Water = 1) >1  
**Vapor Pressure:** (mmHG) Less than 1 mm  
**Melting Point:** N/A  
**Vapor Density:** (Air = 1) > 1  
**Solubility in Water:** Complete  
**pH of Concentrate:** 8 - 9  
**Appearance & Odor:** Clear liquid, detergent odor.  
**Maximum VOC Content:** .4 lbs. per gal. (52 grams per liter)  
**Maximum VOC% :** 5%

**SECTION 4: FIRE AND EXPLOSION DATA**

**Flash Point (Tag Closed Cup Method):** Greater than 212 degrees F.  
**Flammable Limits (Calculated):** LEL: N/A UEL: N/A  
**Extinguishing Media:** Water  
**Special Fire-fighting Procedures:** N/A  
**Unusual Fire and Explosion Hazards:** N/A

**SECTION 5: REACTIVITY DATA**

**Stability:** Stable  
**Incompatibility:** None  
**Hazardous Decomposition or Byproducts:** None  
**Hazardous Polymerization:** Will not occur.  
**Conditions to Avoid:** Avoid exposure to high heat sources, electrical and welding arcs and open flame. Also avoid strong oxidizing agents.

## **SECTION 6: HEALTH HAZARD DATA**

Routes of Entry: Inhalation, Ingestion, Skin.

Health Hazards: Eye Contact: May lead to irritation.

Skin Contact: May lead to dermatitis.

Ingestion: May lead to vomiting.

Carcinogenicity (NTP, IARC, OSHA): The components of this product have not shown any evidence of carcinogenicity.

Signs and Symptoms of Exposure: Overexposure may lead to dermatitis and eye irritation.

Medical Conditions Aggravated by Exposure: None known under recommended usage conditions.

## **POLY AD**

Page 2

Emergency First Aid Procedures:

For Skin Contact: Flush with large volume of water for at least 15 minutes.

For Inhalation: Remove to fresh air, get immediate medical attention if necessary.

Eye Contact: Flush with large volume of water for at least 15 minutes. Get immediate medical attention.

For Ingestion: Get immediate medical attention. Do not induce vomiting.

## **SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE/REGULATORY INFORMATION**

Steps to be Taken in Case Material is Released or Spilled:

(Minor Spills): Absorb material with ground clay, vermiculite or similar absorbent material, then place into containers for removal.

(Major Spills): Dike and contain spill. Eliminate potential sources of ignition, and shut off source of spill if possible. Remove liquid by chemical vacuum, absorbent or other safe and approved method and place into containers for legal disposal. Flush area with water to remove residue, and remove flushed solutions as above.

(Waste Disposal Method): Dispose of all waste in accordance with federal, state and local regulations.

Regulatory Information:

Reportable quantity (RQ) EPA Regulation 40CFR302 (CERCLA) Section 102: None. EPA Regulation 40CFR372 (SARA 313): None.

Precautions to be Taken in Handling and Storing:

Keep containers closed when not in use. Empty containers can be hazardous. Plastic or stainless steel handling and transfer equipment is recommended.

The components of this product are listed on both the United States TSCA and the Canadian DSL.

HMIS: Health Hazard: **1** Flammability: **1** Reactivity: **0** Personal Protection: **B**

## **SECTION 8: CONTROL MEASURES**

Respiratory Protection: Not normally required.

Ventilation: Local and mechanical exhaust recommended. Avoid open electrical sources near product vapor areas. Keep containers tightly closed when not in use. Store between 50 degrees and 100 degrees F. Do not reuse empty containers.

Protective Gloves: Impervious or chemical resistant gloves (consult safety equipment supplier).

Eye Protection: Chemical splash goggles recommended to protect against potential eye contact.

Other Protective Clothing: Safety shoes and aprons are recommended.

Work and Hygiene Practices: Do not take internally. Avoid skin contact, and wash skin after using products. Do not eat, drink, or smoke in work area. Keep away from children.

**THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY, EXPRESS OR IMPLIED IS MADE.**